

STATEMENT OF ENERGY PERFORMANCE

MLEA Shop
2260 Sierra Road East
Helena MT 59602

Date: 7/20/2020
Year Built: 1969
Parent: MT Law Enforcement Academy

| | Baseline: | 2012 | 2015 | 2018 | Current: |
|---------------------|------------|------------|------------|------------|---------------|
| Energy Date: | 12/31/2007 | 12/31/2012 | 12/31/2015 | 12/31/2018 | 12/31/2019 |
| Energy Star Score: | N/A | N/A | N/A | N/A | N/A |
| Gross Floor Area: | 2,219 | 2,219 | 2,219 | 2,219 | 2,219 Sq. Ft. |
| Heating Degree Days | 6778 | 7046 | 6715 | 7820 | 8591 |
| Cooling Degree Days | 730 | 517 | 551 | 432 | 398 |

Reported Annual Energy Use:

| | | | | | |
|----------------------|---------|---------|---------|---------|-----------------|
| Site Energy Use: | 176.4 | 186.7 | 142.4 | 149.6 | 163.8 MBTU |
| Site EUI: | 176,422 | 186,672 | 142,379 | 149,577 | 163,833 BTU/ft2 |
| Electricity: | N/A | N/A | N/A | N/A | N/A kWh |
| Max Electric Demand: | N/A | N/A | N/A | N/A | N/A kW |
| Natural Gas: | 3,915 | 4,142 | 3,159 | 3,319 | 3,635 Therms |

Reported Annual Energy Cost:

| | | | | | |
|-----------------------|---------|---------|---------|---------|---------|
| Electricity Cost: | N/A | N/A | N/A | N/A | N/A |
| Electric Demand Cost: | N/A | N/A | N/A | N/A | N/A |
| Natural Gas Cost: | \$4,121 | \$3,386 | \$2,472 | \$2,366 | \$2,475 |
| Energy Cost/ft2 | \$1.857 | \$1.526 | \$1.114 | \$1.066 | \$1.115 |

Weather Normalized Energy Use:

| | | | | | |
|------------------|---------|---------|---------|---------|-----------------|
| Site Energy Use: | 430.7 | 441.1 | 347.8 | 318.0 | 324.1 MBTU |
| Site EUI: | 194,102 | 198,764 | 156,747 | 143,304 | 146,050 BTU/ft2 |
| Electricity: | N/A | N/A | N/A | N/A | N/A kWh |
| Natural Gas: | 4,307 | 4,411 | 3,478 | 3,180 | 3,241 Therms |

National Median Energy Use:

| | | | | | |
|------------------|--------|--------|--------|--------|----------------|
| Site Energy Use: | 204.8 | 204.8 | 204.8 | 204.8 | 204.8 MBTU |
| Site EUI: | 92,276 | 92,276 | 92,276 | 92,276 | 92,276 BTU/ft2 |

% Difference from National Median:

| | | | | | |
|-----------|--------|---------|--------|--------|--------|
| Site EUI: | 91.19% | 102.30% | 54.30% | 62.10% | 77.55% |
|-----------|--------|---------|--------|--------|--------|

Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

| | | | | | |
|---------------------|------|------|------|------|------|
| Direct Emissions: | 20.8 | 22.0 | 16.8 | 17.6 | 19.3 |
| Indirect Emissions: | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Total Emissions: | 20.8 | 22.0 | 16.8 | 17.6 | 19.3 |

National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

| | | | | | |
|------------------|------|------|------|------|------|
| Total Emissions: | 10.9 | 10.9 | 10.9 | 10.9 | 10.9 |
|------------------|------|------|------|------|------|

Adjusted Energy Based on Current Year:

| | | | | | |
|------------------|-----|-----|-----|-----|-------------|
| Site Energy Use: | N/A | N/A | N/A | N/A | N/A MBTU |
| Site EUI: | N/A | N/A | N/A | N/A | N/A BTU/ft2 |

% Difference Adjusted Site Energy Use

| | |
|---------------------|-----|
| 2012 to Baseline | N/A |
| 2015 to Baseline | N/A |
| 2018 to Baseline | N/A |
| Current to Baseline | N/A |
| Current to 2018 | N/A |

Note: N/A has meanings as follows:

Energy Star Score: Not available for this type of property

Adjusted Energy Use: Not available for this property

Most other data: Not available due to insufficient or missing data